BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA8885**

SAMPLE RECEIVED
September 2, 2026

COA ISSUED
September 6, 2026

SAMPLE INFORMATION

Vendor
Peptara Sciences

Sample Name
SS-31 10mg

Sample Type
White lyophilized powder

Lot Number
SS31/10-2026-001

MW (g/mol)
639.8


ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: SS-31	SS-31	LC-MS/MS	✓ Conforms
Content	10.82 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.73%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 6.290 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.