Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 / TB-500 - 10

Tested for: Peptara Sciences
peptarasciences.com

PASS

Scan to verify authenticity at ils-lab.com
Access Code: R4N6LC4H

COA #:	**COA-2026-VT2ICG**	Analysis Date:	**09/29/2026**
Lot Number:	**TBBPC10-2026-001**	Appearance:	**Good**
Labeled Content:	**10**	Volume:	**3mL**
Volume:	**3mL**	Date Received:	**09/24/2026**

Method: **Blend Purity, Identity & Quantitation (HPLC)**

Identity	Peptide Purity	
BPC-157 / TB-500	**99.82%**	Fentanyl Free



BPC-157 / TB-500 10 - TBBPC10-2026-001

Blend Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.82%**	%	PASS
Net Blend Peptide Content	Report Only	**10.31**	mg	N/A
-- BPC-157		*5.16*	*mg*	
-- TB500		*5.16*	*mg*	
Identity (HPLC-RTM)	BPC-157 + TB500	**Confirmed**	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	PASS

Notes & Methodology

1. Date Tested: 09/29/2026. Methods: Blend Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be BPC-157 / TB-500 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
4. Per-component content determined by individual peak integration. Not all labeled components may be present.
5. Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
6. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
09/29/2026

COA #: **COA-2026-VT2ICG**
Access Code: **R4N6LC4H**
Verify: portal.ils-lab.com/verify/3UAIyEdd23bsYtzf
Issued: 09/29/2026