Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Bacteriostatic Water - 10mL

4X TESTED

PASS

Tested for: Peptara Sciences
peptarasciences.com

COA #:	**COA-2026-3BV1QJ**	Analysis Date:	**10/28/2026**
Lot Number:	**H2O10-2026-001**	Cap Color:	**Blue**
Accession #:	**ACC-2026-23699**	Sample Matrix:	**Liquid/Solution**
Labeled Content:	**10mL**	Vial Size:	**10mL**
		Date Received:	**10/21/2026**

Scan to verify authenticity at ils-lab.com
Access Code: 6VVS6KKL

Method: **Purity, Identity & Quantitation (HPLC)**

Identity	Peptide Purity	
Bacteriostatic Water	**99.88%**	Fentanyl Free




Bacteriostatic Water 10mL - H2O10-2026-001

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.88%**	%	PASS
Identity (HPLC-RTM)	Benzyl alcohol	**Confirmed**	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	PASS

HPLC Chromatogram



Bacteriostatic Water 10mL - H2O10-2026-001: UV Chromatogram

Notes & Methodology

1. Date Tested: 10/28/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be Bacteriostatic Water by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
4. Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
5. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
10/28/2026

COA #: **COA-2026-3BV1QJ**
Access Code: **6VVS6KKL**
Verify: portal.ils-lab.com/verify/csJC9vom0SSu8ZMc
Issued: 10/28/2026